

ANT-PNL-2G-9DB

2400-2485MHZ UNI-DIRECTIONAL FLAT PANEL POINT TO POINT 9 DBI 75H/75V DEGREES

OVERVIEW

The Interlogix® IFS line of antenna are compatible with the WMC251-1W-2T-150 and enables a wider range of operational modes. From local 360° omnidirectional support to more focused and higher gain longer distance applications, the antenna range is ideal for demanding wireless applications.



Details

- Compatible with the WMC251-1W-2T-150
- 2.4 GHz Operation
- Integrated N-type female Connector
- Extended point to point wireless coverage
- Offers greater flexibility of applications
- Suitable for outdoor use

ANT-PNL-2G-9DB

2400-2485MHZ UNI-DIRECTIONAL FLAT PANEL POINT TO POINT 9 DBI 75H/75V DEGREES

Technical Specifications

General

Product type	Antenna
--------------	---------

Wireless

Wireless frequency	2.4 GHz
Antenna	Flat Panel, Unidirectional

Electrical

Power consumption	Max 10W
-------------------	---------

Physical

Physical dimensions	107 x 90 x 30 mm
Net weight	280 g
Colour	White
Material	PVC

Environmental

Environment	Outdoor
-------------	---------

Mechanical

Antenna Type	Flat Panel
Dimensions (WxHxD)	107 x 90 x 30 mm
Weight	280g
Material	PVC

Radio

Frequency	2.4 GHz
Beam Type	Unidirectional
Polarization	Linear
Beam Width (Horizontal Plane)	75°
Beam Width (Vertical Plane)	75°
Power Handling	10 W Max
SWR	< 1.5
Gain	9 dBi

