

RF6933-N

Outdoor wireless curtain detector, Dual technology, 24 GHz, white, no T-bracket, 80+ wireless protocol

Dual technology inside

This outdoor wireless curtain detector is an outdoor motion sensor and alarm trigger that uses passive infrared and a microwave sensor module. Dual sensors must trigger to cause the detector to signal an intruder alarm.

Easy and quick to install

Programmable options include a variable pulse count and LED able/disable functionality.

Integrated dip switches allow the installer to select out of 4 predefined ranges depending on the application it will be used for.

The product concept caters for 3 possible installations: flat on the wall, 90° perpendicular to the wall using the T-bracket or the swivel bracket that can be bought as separate accessories.



Details

- Outdoor curtain detector using double technology : PIR and radar
- Narrow PIR curtain lens
- Up to 12 m selectable detection range
- N/C volt free contacts for alarm and tamper
- High dust and humidity resistance (IP65)
- Attractive aesthetics
- 3 years battery lifetime
- 80+ wireless protocol using 433 Mhz for improved indoor range

RF6933-N

Outdoor wireless curtain detector, Dual technology, 24 GHz, white, no T-bracket, 80+ wireless protocol

Technical specifications

General

Category	Motion Sensors
Product type	Motion sensors
Frequency	433 MHz

Detection

Range	12 m
-------	------

Electrical

Batteries	CR
Battery lifetime	3 years

Physical

Physical dimensions	117 x 44 x 41 mm
Net weight	154 g
Shipping weight	200 g
Colour	White (RAL 9003)
Material	ABS

Environmental

IP rating	IP65
-----------	------

Regulatory

Compliancy	CE
------------	----



As a company of innovation, Carrier Fire & Security reserves the right to change product specifications without notice. For the latest product specifications, visit firesecurityproducts.com online or contact your sales representative.

Last updated on 31 August 2023 - 15:26