Product Data Sheet



DT953

950 Series analogue addressable high temperature sensor

General

The DT953 is an elegant, slim-line analogue addressable high temperature heat detector that provides exact temperature information to the fire panel. It is normally set to alarm at temperature levels of 90°C.

950 Series Temperature Detectors

The 950 series heat detectors use a low air-flow resistant case for good contact between the sensing thermistor and the surrounding air. Temperature is measured by a single thermistor that gives a voltage output proportional to the external air temperature. The signal is processed and transmitted to the control equipment.

Operating Principles

The 950 series temperture detectors have a common profile with optical and ionisation smoke detectors, but have a low airflow resistance case made of self extinguishing, white polycarmonate. To provide a device that operaties in ambient temperatures of up to 50°C, the DT953 is recommened.

Unique Addressing

A unique, patented addressing method provides simple, user-friendly and accurate identification of monitor location whereby a coded card, inserted in the base, is read by any monitor as it is plugged in. All the electronic components are in the monitor, but the location information is held in the base. Addressing errors during maintenance and service are eliminated. Pre-coded and pre-numbered address cards are also available. These address cards simplify and speed up installation and commissioning.



Standard Features

- Passive base address
- Programmable slide-in address card
- Aesthetic design
- Multiple European approvals

DT953

950 Series analogue addressable high temperature sensor

Specifications

17 - 28 VDC
250 microA
2 mA
Red
-20°C to +70°C
-30°C to +80°C
0 - 95%
Not affected
IP53
42 x 100 mm
105 g
White

Ordering Information

Part No.	Description
DT953	950 Series analogue addressable high temperature sensor
DB950 DB950R DB955 DB961	950 Series Standard Base 950 Series Low Power Relay Base Adaptor Base for 900 to 950 series 950 Series Isolating Base (20 devices)

As a company of innovation, UTC Fire & Security reserves the right to change product specifications without notice. For the latest product specifications, visit UTC Fire & Security online or contact your sales representative. IPS-DT953-2013-07-16 09:52:59 Released : 02-SEP-11;

